

PATNO IS 6294487

DATE: OCTOBER 10, 2002
LIBRARY: PATENT
FILE: ALL

Your search request is:
PATNO IS 6294487

Number of PATENTS found with your search request through:
LEVEL 1... 1

Your search request has found 1 PATENT through Level 1.
To DISPLAY this PATENT press either the KWIC, FULL, CITE or SEGMENTS key.
To MODIFY your search request, press the M key (for MODIFY) and then the ENTER key.

For further explanation, press the H key (for HELP) and then the ENTER key.

LEVEL 1 PATENT

1. 6294487 , September 25, 2001 , Airbag fabric processing very low cover factor, Keshavaraj, Ramesh - LaGrange, Georgia, 09405999 (09), Milliken & Company, Spartanburg, South Carolina, 02

CORE TERMS: fabric, airbag, coating, permeability, yarn, cushion, film, substrate, woven, bonding ...

UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT

6294487

September 25, 2001

Airbag fabric processing very low cover factor

REISSUE: February 4, 2002 - Reissue Application filed Ex. Gp.: 1771; Re. S.N.
10/066,738 May 21, 2002

APPL-NO: 09405999 (09)

FILED-DATE: September 24, 1999

GRANTED-DATE: September 25, 2001

CORE TERMS: fabric, airbag, coating, permeability, yarn, cushion, film,
substrate, woven, bonding ...

ENGLISH-ABST:

The present invention relates to an airbag fabric which is woven in such a manner as to possess a cover factor of less than about 1900 but which simultaneously, through the presence of a film (laminate) or coating, possesses an extremely low air permeability. The utilization of such a loosely constructed fabric within airbag cushions has heretofore not been possible, even with the application of standard airbag coatings (such as silicones) over the fabric surface since such coatings with not easily remain in contact over the loosely constructed fabric surface (i.e. , the coating would leak through the fabric). The coupling of a low cover factor fabric with a laminate film (or with a coating wherein the cover factor is at least 1600), however, solves such a problem and permits the utilization of inexpensively produced woven fabrics within airbag applications.

6294487 OR 6,294,487

Your search request has found no CASES.

To edit the above request, use the arrow keys. Be sure to move the cursor to the end of the request before you enter it.

To enter a new search request, type it and press the ENTER key.

What you enter will be Search Level 1.

For further explanation, press the H key (for HELP) and then the ENTER key.